


In Arm Table Kinematic**FEATURES**

- Manual Operation (push / pull for release)
- Slide out motion fully guided.
- Gasspring supported
- Top plate slidable and turnable
- Optional: integrated table housing close out
- Optional: Plating upon customer request

**TECHNICAL SPECIFICATION**

- Weight: app 3.0 kg [6.6lb] (Without optional customized table top)
- Abuse Loads up to 80kg (175lbs) tested
- Push / Pull locking system in stowed position
- Colorless anodized

**Aircraft
Components**

Aersolution Interior AG
Industriezone Schächenwald
CH-6460 Altdorf

**Engineering &
Certification**


ADOA: EASA.AP.347
POA: CH.21G.0020

**Projectmanagement &
Completion Support**


Tel: +41 41 874 0891
Fax: +41 41 874 0899
info@aersolution.com
www.aersolution.com

Dimensions

STOWED



DEPLOYED



**Aircraft
Components**

Aersolution Interior AG
Industriezone Schächenwald
CH-6460 Altdorf


**Engineering &
Certification**

ADOA: EASA.AP.347
POA: CH.21G.0020


**Projectmanagement &
Completion Support**

Tel: +41 41 874 0891
Fax: +41 41 874 0899
info@aersolution.com
www.aersolution.com

Installation



In Arm Table Installed



**Aircraft
Components**

Aersolution Interior AG
Industriezone Schächenwald
CH-6460 Altdorf

**Engineering &
Certification**

ADOA: EASA.AP.347
POA: CH.21G.0020

**Projectmanagement &
Completion Support**

Tel: +41 41 874 0891
Fax: +41 41 874 0899
info@aersolution.com
www.aersolution.com